



Professional Foodservice Equipment 2013

• Catalogue w/o Price list
















MISCELLANEOUS PRODUCTS p. 28 / 32





Miscellaneous p. 33/34

- Citrus juicer: Dynajuicer
- Manual food cutter: CF 2000
- Manual whip
- Roadsign cones
- Temperature recording: Dynaclim





All our products are certified.Dynamic's complete product line is in accordance with the essential EU European certifications. In addition, nearly all are certified under UL/ ETL* regulations with both electrical and sanitation standards. Great care is taken in order to manufacture high quality, sturdy and reliable equipment for the food service industry. *conforms to all NSF standards.

All our products are equipped with:

(+ 2 discs)

H 260 mm - 10,2" /

ø 370 mm - 14,5"


Dynacoupe discs

- Double insulation
- EU approved
- Safety switch
- Variable speed control: standard or option
- Stainless steel bell
- Power cord + plug: Length. 3m / 10ft.
- Products available in other voltages on request: 115 V or 230 V


(01) - Dynacube (+ 1 grid)

H 330 mm - 13" / ø 400 mm - 15,7"

Grids: 7x7 / 8,5x8,5 / 10x10 / 14x14 / 17x17 mm



MASTER p. 18 / 23



SMX p. 24 / 26





SMX non-detachable p.25

(10)




(97) SMX 600 DSC 850 W

08 SMX 800E 1 000 W

(07)

9 SMX 800 DSC 1 000 W

Support brackets: SM - SA (p. 26)







MINI Series

MINI

Detachable equipment

A truly professional hand stick blender / mixer for small preparations!

The Dynamix is powerful, quick and efficient with a detachable shaft allowing for simple and easy maintenance. It is the perfect and reliable mixer with easy interchangeable attachments.

Dynami 160

| Total length: | 395 mm / 15,5" |
|---------------------------|----------------------------------|
| Shaft length: | 160 mm / 6,3" |
| Diameter of the bell: | 55 mm / 2,2" |
| Diameter: | 70 mm / 2,8" |
| Actual / shipping weight: | 1 Kg / 2,20 lbs - 1,4 Kg / 3 lbs |
| Output max: | 220 W * |
| Speed: | 0 to 13000 R.P.M. |

^{*220}W (equals approximately 700 W in domestic use)

Dynami 190

| Total length: | 425 mm / 16,7" |
|--|--------------------------|
| Shaft length: | 190 mm / 7,5" |
| Diameter of the bell: | 66 mm / 2,6" |
| Diameter: | 70 mm / 2,8" |
| Actual / shipping weight: . 1,2 Kg / 2,6 | 5 lbs / 1,5 Kg / 3,3 lbs |
| Output max: | 250 W * |
| Speed: | 0 to 13000 R.P.M. |

^{*250}W (equals approximately 750 W in domestic use)

DynaShake

The Dynashake, with its graduated bowl makes - with ease and at a great speed, the perfect milkshakes, smoothies and cocktails.

| Total length: | 425 mm / 16,7" |
|-----------------------------------|--------------------------|
| Shaft length: | 190 mm / 7,5" |
| Diameter: | 95 mm / 3,7" |
| Actual / shipping weight:1,4 Kg / | 3 lbs - 1,5 Kg / 3,3 lbs |
| Output max: | 250 W * |
| Speed: | 0 to 13000 R.P.M. |

^{*250}W (equals approximately 750 W in domestic use)



| ① Dynami 160 detachable | Ref. MX050 |
|---|------------|
| Dynamix 160 standard with emulsifying knife | |
| (2) Dynami 190 detachable | Ref MX090 |

| D١ | vnamix | 190 | standard | with | emulsifyir | na knife |
|----|-----------|-----|-----------|------|--------------|------------|
| υ. | yriairiix | | Starradia | | ciriaisiryii | 19 1011111 |

| (03 | DynaShake | detachable | Ref. MX051 |
|-----|--------------|------------|------------|
| | , - , | | |

Dynashake standard with emulsifying knife + beaker with cover



| 01 160 standard motor block | Ref. AC515 |
|--|------------|
| 01) 190 standard motor block | Ref. AC514 |
| Accessories (sold separately) | |
| 02 160 attachment with emulsifying knife - 4 blades | Ref. AC520 |
| 03) 190 Attachment with emulsifying knife - 4 blades | Ref. AC550 |
| 04 Watertight attachment with emulsifying knife - 4 blades | Ref. AC530 |

4 blades

Ref. 0550

Ref. 0552

emulsifying disc

Ref. 0553

| 05 Whisk tool 185 mm - 1 to 5 L | Ref. AC516 | |
|--|------------|--|
| 06 Foodmill ricer 126 mm - 1 to 5 Kg | Ref. AC517 | |
| 07 Cutter bowl 0,8 l. | Ref. AC518 | |
| 08 Graduated beaker 1l. + cover | Ref. AC510 | |
| 9 Stainless steel jug 3 I H: 18 cm, ø: 15 cm - Suitable for all cooking surfaces including induction | Ref. AC513 | |
| Blade pack includes: emulsifying cutter blade + standard Ref. AC540 blade + beater disc + emul. disc | | |

whisks

2 blades

Ref. 0551





DynamiX pack

Ref. MX052

Ref. MF050

Dynamix pack includes:

1 Dynamix 160 + 1 emulsifying blade + 1 standard blade +

1 beater disc + 1 smoothie emulsifying disc +

a 1-litre-graduated beaker + cover

DynaShake pack Ref. MX054

Dynashake pack includes: 1 Dynashake + 1 emulsifying blade + 1 standard blade + 1 beater disc + 1 smoothie emulsifying disc + a 1-litre-graduated beaker + cover

11 DynamiX MF pack

10 **Dynami** MFAP pack

Ref. MF052

MF pack includes:

1 ricer tool.

MFAP pack includes:

1 Dynamix 160 with emulsifying blade + 1 whisk tool

1 Dynamix 160 with emulsifying blade + 1 whisk tool +

MINI series

Non-detachable equipment

Our MINI range is powerful, reliable and easy to use. Standard or cordless, they are ideal for preparing small amounts of soups and sauces.

With their small size they will offer freedom, power and versatility for professionals at work.

The MINI cordless stick blenders / mixers are unique products within the market and they are supplied with charger and a long lasting battery.





0,25 / 2,5 gal.

| 01 MD 95 Standard blade | Ref. MX010 |
|---------------------------|------------|
| MD 95 E Emulsifying blade | Ref. MX008 |

MD 95 and MD 95 E capacity 4 to 12 litres / 1 to 3 gal.

| Total length: | 445 mm / 17,5" |
|---|---------------------------|
| Mixer tool length: | 160 mm / 6,3" |
| Diameter: | 72 mm / 2,8" |
| Actual weight / shipping weight: 1,2 Kg / 2 | ,6 lbs - 1,5 Kg / 3,3 lbs |
| Output max: | 250 W |
| Speed: | 11500 R.P.M. |

| Option: variable speed control | Ref. AC040 |
|---|------------|
| Emulsifying knife (4 blades) 66 | Ref. 9414 |
| 02 Cordless MINI mixer with emulsifying blade * | Ref. MX014 |
| Cordless MINI mixer * | Ref. MX011 |
| Capacity 1 to 5 litros / 0.25 to 1.25 gal | |

Capacity 1 to 5 litres / 0,25 to 1,25 gal

| Total length: | 460 mm / 18,1" |
|---|---------------------------------|
| Mixer tool length: | 160 mm / 6,3" |
| Diameter: | 72 mm / 2,8" |
| Actual weight / shipping weight: .1,4 K | (g / 3,0 lbs - 3,0 Kg / 6,6 lbs |
| Speed: | 7000 R.P.M. |

| 03 Cordless MINI whisk * | Ref. FT003 |
|---|-----------------------|
| | |
| Total length: | 185 mm / 7,3" |
| Diameter: | 72 mm / 2,8" |
| Actual weight / shipping weight: 1,5 Kg / 3,3 l | bs - 3,0 Kg / 6,6 lbs |
| Speed: | 700 R.P.M. |

Accessories (sold separately)

| 04 PB MINI. New technology Ni-Mh - Autonomy 1hr. | Ref. AC111 |
|--|------------|
| 05 Charger C MINI. Charger 115 V or 230 V - Run time 2hrs. | Ref. AC110 |



and charge

included



Valrhona school is 20 years old and has become iconic in the world of professional training, specialising in the work of

emulsifying requires efficient, reliable and robust tools. The Dynamic mixer, with its special blade offers us ease of use and perfect results in our specialist training programme."

> Frédéric Bau Head Chef - Designed manager of the "Grand Chocolat VALRHONA" school.







Attractive packaging for a greater impact in-store.





Dynamix MFAP pack









JUNIOR series

► Non-detachable equipment

The JUNIOR range is ideal in preparations with a maximum capacity of $25\ \text{litres}\ /\ 6.5\ \text{gallons}.$







a 4-blade-emulsifying knife - Ref. 4009

| 01) | JUNIOR Standard non-detachable | Ref. MX020 |
|-----|--------------------------------|------------|

| Total length: | 505 mm / 19,8" |
|---|----------------------------|
| Mixer tool length: | |
| Diameter: | 94 mm / 3,7" |
| Actual weight / shipping weight: 1,7 Kg / | 3,7 lbs - 2,0 Kg / 4,4 lbs |
| Output max:: | 270 W |
| Speed: | 11000 R.P.M. |

| Emulsifying knife (4 blades) ^{©3} | Ref. 4009 |
|---|------------|
| Option: variable speed control | Ref. AC040 |

| JUNIOR whisk non-detachable | Ref. FT005 |
|---|---|
| Total length: Mixer tool length: Diameter: Actual weight / shipping weight:1,4 Kg / 3 Output max: | 185 mm / 7,3" 94 mm / 3,7" 3 lbs - 1,7 Kg / 3,7 lbs |

Speed: 0 to 2000 R.P.M.



JUNIOR



| 01) + 02 | Ref. MX021.V |
|---------------------------|--------------|
| Total length: | |
| Mixer tool length: | 94 mm / 3,7" |
| Output max: | 270 W |
| | |
| IUNIOR packs | |
| IUNIOR Plus XL detachable | Ref. MX024 |

| | VIOR Plus Combi + 02 + 04 | Ref. MX022 |
|------|---|------------|
| Mix | er tool 225 mm / 9" + whisk tool 185 mm / 7,3" | |
| Ac | ccessories (sold separately) | |
| 01 | JUNIOR motor block | Ref. AC100 |
| 02 | JUNIOR mixer tool detachable 225 mm / 9" | Ref. AC101 |
| 03 | JUNIOR XL extended mixer tool detachable 300 mm / 11,8" | Ref. AC105 |
| 04 | JUNIOR whisk tool 185 mm / 7,3" | Ref. AC102 |
| 05 | JUNIOR ricer tool 1 to 10 Kg / 0,25 to 1,25 lbs | Ref. AC103 |
| (06) | Cutter bowl 0,8 l. | Ref. AC104 |



SENIOR series

Non-detachable equipment

Our SENIOR range offers power and versatility. They are ideal for medium to large capacity mixe, and the most delicate recipes.

5 / 10 gal.

















- Easily dismantled without any special tool.
- Reinforced seal (attached double lip), specially coated lines with anti-oxidation (anodising) for a perfect hygiene.

Ref. 0880



Convenient and secure:

Wall storage bracket for mixer and accessories included.

| PMX 98 Standard non-detachable | Ref. MX007 |
|-----------------------------------|---|
| Total length: | 97 mm / 11,8" 97 mm / 3,8" bs - 2,9 Kg / 6,4 lbs 350 W |
| MX option: variable speed control | Ref. AC040 |



PMDH 250 detachable

(01) + (02)

Ref. MX006

Actual weight / shipping weight: 2,5 Kg / 5,5 lbs - 3,7 Kg / 8,1 lbs Speed: 0 to 9500 R.P.M.

Detachable equipment

SENIOR



| PMDH 250 XL detachable (01) + (03) | Ref. MX016 | SENIOR acc |
|---|------------|-------------------------------|
| SENIOR packs | | 01 Motor blo 02 Mixer tool |
| PMF 250 Combi pack (1) + (2) + (4) | Ref. MF003 | 03 Mixer tool |
| Mixer tool 300 mm / 11,8" + Whisk tool 20 |)5 mm / 8" | 05 Ricer tool |
| MF 250 Combi XL pack ①1 + 03 + 04 | Ref. MF015 | Capacity: 10 to 3 |
| Mixer tool 400 mm / 15,7" + Whisk tool 20 | 05 mm / 8" | Capacity: 5 L. |

| SENIOR accessories (sold separately) | |
|---|------------|
| 01 Motor block BM 250 | Ref. AC005 |
| 02 Mixer tool M 250 - 300 mm / 11,8" | Ref. AC006 |
| (3) Mixer tool M 250 XL - 400 mm / 15,7" | Ref. AC016 |
| 04 Whisk tool F 250 - 205 mm / 8" | Ref. AC007 |
| 05 Ricer tool - 420 mm / 16,5" | Ref. AC004 |
| Capacity: 10 to 30 Kg / 22 to 66 lbs | |
| 06 Complete stainless steel cutter bowl | Ref. AC055 |



MASTER series

Non-detachable equipment

Our MASTER Mixer Range is the most advanced and versatile in the professional catering industry.

The units are strong and dependable, perfect for containers holding up to 100 litres / 25 gallons.

Our wide variety of attachments in the MASTER range, adds versatility and flexibility, to your food preparation needs.



a 4-blade-emulsifying knife - Ref. 7910







10 / 25 gal.



Option

| MX 91 Non-detachable | 01) | ble |
|----------------------|-----|-----|
|----------------------|-----|-----|

| ı | Ref. | MX005 |
|---|------|-------|
| | | |

| Total length: | 715 mm / 28" |
|---|----------------------------|
| Mixer tool length: | 410 mm / 16" |
| Diameter: | 110 mm / 4,3" |
| Actual weight / shipping weight: 3,4 Kg / 7 | 7,5 lbs - 3,8 Kg / 8,4 lbs |
| Output max: | 500 W |
| Speed: | 9500 R.P.M. |

MX91 option: variable speed control

Ref. AC040

02) FT 97 Non-detachable

| Ref | FT001 |
|-------|-------|
| ILCI. | 11001 |

| Total length: | 650 mm / 25,6" |
|---|------------------------------|
| Whisk length: | 245 mm / 9,7" |
| Diameter: | 110 mm / 4,3" |
| Actual weight / shipping weight: 3,3 Kg | / 7,3 lbs - 3,7 Kg / 8,1 lbs |
| Output max: | 500 W |
| Speed: | 300 to 900 R.P.M. |

Emulsifying knife (4 blades) 05

Ref. 7910

MX 2000 Standard non-detachable

Ref. MX004

| Total length: | 720 mm / 28,4" |
|--|----------------------------|
| Mixer tool length: | 410 mm / 16" |
| Diameter: | 122 mm / 4,8" |
| Actual weight / shipping weight:3,5 Kg | / 7,7 lbs - 4,1 Kg / 9 lbs |
| Output max: | 500 W |
| Speed: | 9500 R.P.M. |
| | |

Option: variable speed control

Ref. AC040

| 04) MX 2000 DSC | Ref. MX030 (230V - 50Hz) |
|----------------------|----------------------------|
| (Dyna Speed Control) | Ref. MX030.2 (230V - 60Hz) |



MASTER

Self regulating speed - Adds longevity to all components.



9500 R.P.M.



9500 R.P.M.

MASTER series

▶ Detachable equipment

10 ATTACHMENTS FOR 1 MOTOR BLOCK gives you unparalleled preparation flexibility.





| MASTER accessories (sold separately) | | 04 Whisk tool F 90 | Ref. AC003 |
|--|---------------------|--|------------|
| 01) BM 2000 motor block | Ref. AC001 | Capacity: 5 - 20 litres / 1,25 - 5 gal. Speed: 300 to 900 R.P.M. with variable speed co | ontrol |
| Length: | 350 mm / 13.8" | 05 MASTER beater whisk FM 90 | Ref. AC200 |
| Diameter: | | Length: 600 mm / 23,6" | |
| Output max: | | (05) MASTER beater whisk FM 91 | Ref. AC201 |
| Speed:3000 to 9500 R.P.M. | with variable speed | Length: 700 mm / 27,6" | |
| 02) Mixer tool M 90 | Ref. AC002 | 05 MASTER beater whisk FM 92 | Ref. AC202 |
| Capacity: 20 - 100 litres / 5 - 25 gal. | | Length: 420 mm / 16,5" | |
| 33 Mixer tool M 500 Capacity: 20 - 100 litres / 5 - 25 gal. | Ref. AC500 | Capacity: 20 - 200 litres / 5 - 50 gal. Speed: 100 to 500 R.P.M. All stainless steel, handle support included. | |

MASTER (01) (07) (08) (10) 400 mm / 15,7" (09)

06 AP 90 Foodmill / Ricer

Ref. AC004

Capacity: 10 to 30 Kg / 22 to 66 lbs Diameter grid: 110 mm / 4,3"

Speed: 100 to 600 R.P.M. with variable speed control

97 Emulsifying dynaturbo attachement

Ref. AC050

Capacity: 5 litres / 1,25 gal. Length: 400 mm / 15,7"

The emulsifying Dynaturbo attachment: generally used for ice-creams and sorbets, finely purees fresh or thawed ingredients which have been processed with the M90 mixer tool attachment. Supplied with two heads: one for fruit and one for creams or syrups. Can be completely dismantled for perfect cleaning.

08 Dynacutter Bowl complete

Ref. AC055

The complete Dynacutter bowl includes a 5-litre / 6 QTS -bowl and its cover, a standard blade or a serrated blade. (See technical characteristics on page 23.)

09 Dynacutter Bowl only

Ref. 9073

Dynacutter bowl only, without cover or blade. Used as base for VS attachment, or simply as an extra bowl. (See technical characteristics on page 23.)

10 VS Attachment + 4 discs Without bowl support Ref. AC125
With bowl support Ref. AC126

(See sizes p. 23)

MASTER series





- Easily dismantled without any special tool.
- Reinforced seal (attached double lip), specially coated lines with anti-oxidation (anodising).
- Blades specially sharpened to guarantee optimum cutting quality



Continuous auto run button allows to mix continuously or pulse.



Detachable whisks for easy cleaning.

Dynamic

Convenient and secure:

Wall storage bracket for mixer and accessories included. Ref. 0880



Whisks Foodmill / ricer





10 / 25 gal. 2,5 / 5 gal.









65 lbs

MASTER packs

MDH 2000 Plus detachable mixer (01) + (02)

Ref. MX003

| Total length: | 720 mm / 28,3" |
|--|----------------------------|
| Mixer tool length: | 410 mm / 16" |
| Diameter: | 122 mm / 4,8" |
| Actual weight / shipping weight: .3,7 Kg / | 8,1 lbs - 4,5 Kg / 9,9 lbs |
| Output max: | 500 W |
| Speed: | 3000 to 9500 R.P.M. |

MF 2000 Combi (Mixer + whisk tools)

Ref. MF002


01+02+03

| Total length: |
|--|
| Mixer tool length: 410 mm / 16" |
| Whisk tool length: |
| Diameter: 122 mm / 4,8" |
| Actual weight / shipping weight: 4,5 Kg / 9,9 lbs - 6,3 Kg / 3,9 lbs |
| Output max: 500 W |
| Mixer / Whisk Speed::3000 to 9500 - 300 to 900 R.P.M. |

MFAP 2000 detachable (Mixer + whisk + ricer tools) (01 + (02 + (03 + (04)

Ref. MF001

| Total length: |
|---|
| Mixer tool length: 410 mm / 16" |
| Whisk tool length: |
| Length and diameter of ricer / foodmill: 420 mm - 110 mm |
| Diameter: 122 mm / 4,8" |
| Actual weight / shipping weight:6,5 Kg / 14,3 lbs - 8,4 Kg / 18,5 lbs |
| Output max: 500 W |
| Mixer speed:3000 to 9500 R.P.M. |
| Whisk speed: |
| Foodmill/ricer speed:100 to 600 R.P.M. |







Stainless steel perforated grid and blade can be easily dismantled for cleaning.









servings





Serrated blade



(02) Standard blade

Ref. AC056



Multi-function



01 Dynacutter complete

Ref. MF010

Total weight: 5 Kg / 11 lbs - 6 Kg / 13,2 lbs Output max: 500 W

The Dynacutter includes: the BM 2000 motor block, a complete stainless steel bowl with your choice of a standard or a serrated blade.

| Standard blade | Ref. 9072 |
|----------------|------------|
| Serrated blade | Ref. AC056 |

02 VS Attachment complete Ref. MF012

Total weight: 7 Kg / 15,4 lbs - 8 Kg / 17,6 lbs Output max: 500 W

Includes: BM 2000 motor block (bowl used as support only), VS attachment with 2 shredding discs (2 & 3 mm, $\frac{5}{64}$ "- $\frac{1}{8}$ ") + 2 slicing discs (2 & 3 mm, 5/64"-1/8") + a sling plate.

Multi-Function Food Prep System

Ref. MF014

| Total height Dynacutter: 600 mm / 23,6" |
|---|
| Total height VS attachment: 650 mm / 25,6" |
| Diameter of bowl: |
| Total weight: 8 Kg / 17,6 lbs - 9 Kg / 19,8 lbs |
| Voltage: 115 V or 230 V |
| Output max: 500 W |
| Speed: 0 to 1500 R.P.M. |
| Speed: 0 to 1500 K.P.IVI. |

Multi-function food prep system consists of:

- BM 2000 motor block,
- Complete Dynacutter bowl with one blade of your choice,
- VS attachment with 4 discs + an ejector disc.

Additional discs sold separately

| (not shown) |
|-------------|
| Ref. AC170 |
| Ref. AC175 |
| |
| Ref. AC151 |
| Ref. AC152 |
| Ref. AC153 |
| Ref. AC155 |
| |
| Ref. AC162 |
| Ref. AC163 |
| Ref. AC164 |
| |



SMX series

((

Ultimate power! Our super stick blenders / mixers in our SMX range, from the SMX 600 E to our SMX 800 DSC, offer the ultimate in performance and power. Our new cooling technology ensures longer life to your mixer. They are ideal for mass catering, institutions, canteens etc...



Mixer support brackets. For a safe and secure work environment (p. 26).

| 01 SMX 600 E Non-detachable | Ref. MX002 |
|--|---------------|
| Total length: | |
| Mixer tool length: | 25 mm / 4,9" |
| Actual weight / shipping weight:6,1 Kg / 13,4 lbs Voltage: | 15 V or 230 V |
| Output max: | |

② SMX 600 DSC detachable Ref. MX035

| Total length: | 600 mm / 23,6" |
|--|-------------------------------------|
| Actual weight / shipping weight: Voltage: | 6,5 Kg / 14,3 lbs - 8 Kg / 17,6 lbs |
| Output max: | |

| 03 SMX 800 E detachable | Ref. MX001 |
|---|---------------------------|
| | |
| Total length: | 950 mm / 37,4" |
| Mixer tool length: | 680 mm / 26,7" |
| Diameter: | 125 mm / 4,9" |
| Actual weight / shipping weight:6,7 Kg / 14 | 1,7 lbs - 8,2 Kg / 18 lbs |
| Voltage: | 115 V or 230 V |
| Output max: | 1000 W |
| Speeds | OEOO P DM |

| 04) SMX 800 DSC detachable | Ref. MX034 |
|----------------------------|------------|
| | |
| Diameter: | |

| Dynaturbo SMX 800E motor block | Ref. AC052 |
|--------------------------------|--------------|
| 05 Dynaturbo tool for SMX 800E | Ref. AC050.S |

Output max:1000 W

Speed:9500 R.P.M.

| Mixer tool length: 370 mm / 14,5" | 1 |
|-----------------------------------|---|
| Weight: | ; |



9500 R.P.M.

9500 R.P.M.

RICER / FOODMILL

520 mm / 20,5'

570 mm / 22.4"









450 mm / 17,7"





06 PP 97 Ricer / Foodmill non-detachable 520 mm - 20,5"

Ref. PP001

PP 97 Plus Ricer / Foodmill detachable 570 mm - 22,5"

Ref. PP002

Total length PP97 - PP97+: ... 870 - 920 mm / 34,2" - 36,2" Mixer tool length PP97 - PP97+: 520 - 570 mm / 20,5" - 22,5" Diameter: 170 mm / 6,7" Actual weight / shipping weight: 4,9 Kg / 10,7 lbs - 5,9 Kg / 13 lbs Voltage:115 V or 230 V Output max: 650 W Speed PP97 - PP97+: 500 R.P.M. - 100 to 500 R.P.M.

Accessories (sold separately)

BM 97 Motor block only

Ref. AC221

Length: 350 mm / 13,8" - Weight: 3 Kg / 6,6 lbs -Speed: 100 to 500 R.P.M. - Output max: 650 Watts

AP 97 Ricer tool

Ref. AC220

Length: 450 mm / 11,7" - Weight: 1,9 Kg / 4,2 lbs - Capacity: 30 Kg / 66 lbs

08 FM 97 Whisk tool

Ref. AC208

Length: 690 mm / 27,2" - Weight: 1,5 Kg / 3,3 lbs -Capacity: 40 to 100 l. / 10 to 26 gal. - comes with handle



Pan support brackets

09 SM 4

Ref. SM001

Maximum support bracket diameter: 400 mm / 15,7" Weight: 1,9 Kg / 4,2 lbs

09 SM 6

Ref. SM002

Maximum support bracket diameter: 600 mm / 23,6" Weight: 2,3 Kg / 5 lbs

09 SM 8

Ref. SM003

Maximum support bracket diameter: 800 mm / 31,5" Weight: 2,6 Kg / 5,7 lbs

09 SM 10

Ref. SM004

Support bracket maximum diameter: 1000 mm / 39,4" Weight: 2,8 Kg / 6,2 lbs

09 SM 12

Ref. SM005

Maximum support bracket diameter: 1200 mm / 47,2"

(10) SA

Ref. SM006

Support bracket "side mounting"

Weight: 0,7 Kg / 1,5 lbs





(02) Giraffe "Gigamix" with variable speed control detachable 570 mm / 22,4"

Ref. TB002

| Electrical specifications: | |
|------------------------------------|-------------------------------------|
| Voltage:23 | 80 / 400 V, 3- phase , 50 Hz |
| Power output: | 2,2 kW |
| Speed (loaded): | 4000 R.P.M. |
| Thermal magnetic circuit break | |
| Technical specifications: | |
| Mixer attachment only: | 570 mm / 22,4" |
| Diameter of mixer head: | 270 mm / 10,6" |
| Overall dimensions: .95 cm x 60 cn | n x 170 cm / 37,5" x 24" x 67" |
| Extended:170 cm x 60 d | cm x 120 cm / 67" x 24" x 47" |
| Weight: | 79 Kg / 174 lbs |

| 03) | Whip accessory Length: 300 mm / 11,8" | Ref. TB003 |
|-----|--|------------|

Minimum height: 500 mm / 19,7"

This new Gigamix whip is ideal for delicate recipes, dehydrated soups... It provides the ultimate in mixing flexibility. **Gigamix whip attachment requires the variable speed base option.**













Super mixer for large capacity applications

The Giraffe is designed for high volume, heavy duty mixing. Stainless steel construction offers many years of hygienic, uninterrupted food preparations. Constructed with heavy duty locking castors and tilting mechanism that allows for easy transport, safe and secure operation and convenient storage.

- Distance between frame and mixer shaft assembly: 800 mm / 31,5"
- Distance between bottom of mixer head and floor: minimum = 500 mm / 19,7" maximum = 790 mm / 31"
- Diameter of the wheels: 120 mm / 4,7"





SALAD SPINNER

SALAD SPINNER HACCO (E

Copied but unrivalled! Dynamic is the inventor of the commercial salad spinner. Quick and efficient, manual or electric. It is a necessity for the following reasons:

- 1- The drier the lettuce is, the longer the lettuce will last.
- 2- Dressing clings to dry lettuce with no run-off effect. Both important food cost issues.





| 01 E 10 Manual salad spinner | Ref. E001 |
|--|---------------|
| Diameter: | 20 mm / 16,5" |
| Pasammandad canasity: 2 or 2 lettuse heads | |

| ©2 E 20 Manual salad spinner | Ref. E002 |
|------------------------------|----------------|
| | |
| Diameter: | 430 mm / 16,9" |
| Total height: | 500 mm / 19,7" |

Actual weight / shipping weight: 3,6 Kg / 7,9 lbs - 4,8 Kg / 10,5 lbs

Recommended capacity: 3 or 5 lettuce heads.

| ©3 E 20 SC manual "sealed cover" | Ref. E004 |
|---|-------------------|
| Diameter: | 00 mm / 19,7" |
| Actual weight / shipping weight: 3,6 Kg / 7,9 lbs - | 4,8 Kg / 10,5 lbs |

Recommended capacity: 3 or 5 lettuce heads.

| 04 Stabilising base E20 & E20 SC | Ref. AC019 |
|----------------------------------|------------|
| For E20, E20 SC and EM | |
| Diameter: | |

| 05 Set | of gear | s - Comple | te set of g | ears |
|--------|---------|------------|-------------|------|
|--------|---------|------------|-------------|------|

| Ref. 2815.1 |
|-------------|
| Ref. 2815.2 |
| |

| 06 EM 98 electric salad spir | nner Ref. E003 |
|----------------------------------|------------------------------------|
| | |
| Total height: | 430 mm / 16,9" |
| Actual weight / shipping weight: | 8,3 Kg / 18,3 lbs - 10 Kg / 22 lbs |
| Voltage: | 115 V or 230 V |
| Output max: | 200 W |
| Speed: | 500 R.P.M. |

Recommended capacity: 3 or 5 lettuce heads.



5 gal.

(06)



FOOD CUTTER

FOOD CUTTER series CE

Slice and shred with ease. The Dynacoupe is ideal for manually slicing and shredding vegetables. This unit is easy to clean and the discs are easily interchangeable.

01 Dynacoupe without discs Ref. CL001

Very simple and easy to use, ideal for quickly and efficiently slicing and shredding vegetables. Discs sold separately.

| Dynacoupe with 2 | discs | Ref. CL002 |
|------------------|-------|------------|
|------------------|-------|------------|

Slicing disc: thickness 3 mm / 1/8" Shredding disc: holes 3 mm / 1/8"

Additional discs available

02 SLICING DISCS

| Thickness - 1,5 mm x Ø 220 mm - 1/64" | Ref. AC015 |
|---------------------------------------|------------|
| Thickness - 2 mm x Ø 220 mm - 5/64" | Ref. AC012 |
| Thickness - 3 mm x Ø 220 mm - 1/8" | Ref. AC013 |
| Thickness - 5 mm x Ø 220 mm - 3/16" | Ref. AC014 |
| 03 SHREDDING DISCS | |
| Ø holes - 2 mm x Ø 220 mm - 5/64" | Ref. AC020 |
| Ø holes - 3 mm x Ø 220 mm - 1/8" | Ref. AC021 |
| Ø holes - 4 mm x Ø 220 mm - 5/32 " | Ref. AC022 |

Storage rack
 Ref. AC025

A 6-disc-capacity storage rack.



DYNACOUPE



Food which needs to be shredded or sliced is inserted into the feeder. After placing an empty container below the unit, turn the handle and lightly apply pressure on the pusher which ensures total safety during operation.



Very simple and easy to use.

For the DynaCoupe, just select and lock the disc in the slot and your unit is ready to use.



The Dynacoupe offers easy and simple cleaning and maintenance; following each use, simply remove the components. Hand wash with mild soap and rinse with warm water.



The Dynacoupe is supplied with 2 types of mounting supports:

- ✓ Fixed supports for permanent installation.
- $\ensuremath{\checkmark}$ Suction cups for temporary use. Designed to adapt perfectly to your working area.



FOOD CUTTER

 ϵ



The perfect manual kitchen tool: simple and practical to use for rapidly and efficiently dicing vegetables. Its patented grid system made with surgical stainless steel blades, ensures a clean consistent cut of vegetables, fruit and some cooked meats. Great for soft vegetables.

Dynacube allows 3 types of preparation:

- 1) For dicing use both grids and bottom cutter blade.
- 2) For sticks use both grids and remove bottom cutter blade
- 3) For slicing use the upper grid only.

| 05 Dynacube complete | *see ref. below |
|--|-----------------|
| Complete Dynacube equipped with blade set 7 mm x 7 mm / 1/8" (Yellow grid set with pusher) | Ref. CL005* |
| Complete Dynacube equipped with blade set 8,5 mm x 8,5 mm / 1/4" (Orange grid set with pusher) | Ref. CL003* |
| Complete Dynacube equipped with blade set 10 mm x 10 mm / 3/8" (Red grid set with pusher) | Ref. CL006* |
| Complete Dynacube equipped with blade set 14 mm x 14 mm / 1/2" (Yellow grid set with pusher) | Ref. CL008* |
| Complete Dynacube equipped with blade set 17 mm x 17 mm / 3/4" (Orange grid set with pusher) | Ref. CL009* |

| Additional grid set | *see ref. below |
|-----------------------------|-----------------|
| Grid set 7 x 7mm / 1/8" | Ref. AC060* |
| Grid set 8,5 x 8,5mm / 1/4" | Ref. AC061* |
| Grid set 10 x 10mm / 3/8" | Ref. AC062* |
| Grid set 14 x 14mm / 1/2" | Ref. AC063* |
| Grid set 17 x 17mm / 3/4" | Ref. AC064* |

| Total height: | 330 mm / 13" |
|----------------------------------|------------------------------|
| Diameter: | 400 mm / 15,7" |
| Weight / shipping weight: 3,1 Kg | / 6,8 lbs - 4,4 Kg / 9,7 lbs |



Food which needs to be shredded or sliced is inserted into the feeder. After placing an empty container below the unit, turn the handle and lightly apply pressure on the pusher which ensures total safety during operation.



Very simple and easy to use.

For the DynaCube, unlatch the clips and remove the dome before allowing easy access to the grids. Re-install components, including lower cutter blade and the Dynacube is ready for use.



The Dynacube offers easy and simple cleaning and maintenance; following each use, simply remove the components. Hand wash with mild soap and rinse with warm water.



The Dynacube is supplied with 2 types of mounting supports:

- ✔ Fixed supports for permanent installation.
- ✓ Suction cups for temporary use. Designed to adapt perfectly to your working area.



DYNACLIM


((


An amazingly simple device!

The Dynaclim, refrigeration temperature and alarm controls.

- A 2-line + 2-screen-alphanumeric display board.
- 4, 8 or 16 zone measurements
- Temperature recording with unlimited timestamp registry on SD card.
- Single zone alarm on variable temperature change (up or down) as well as loss in power supply.
- Other alarm options available (i.e. walk-in door).
- Wireless signal compatible.
- Source: 230V / 50Hz
- PC compatible operating system. Easy and simple to program.
- Battery option 12V

Complies with NF EN 12830 standards.







DYNAJUICER

((

The PA 96 Dynajuicer is quiet and sturdy. It runs at 1500 R.P.M. and is great for juicing lemons, limes, oranges and grapefruit.

The cleaning of the unit takes less than 1 minute. All easy to clean components are manufactured of a sanitary material.

| Dynajuicer citrus juicer | Ref. PA001 |
|---|------------|
| Total height: Diameter: Weight: Voltage: Output max: Speed: | |



MANUAL WHIP



| 01 FMA 90 - Manual whip | Ref. AC210 |
|---------------------------------|-----------------|
| Capacity: Length: Weight: | 1200 mm / 47,2" |

MANUAL FOOD CUTTER (E



| OZ CF 2000 Manual Food C | utter Ref. CL004 |
|--------------------------|------------------------------|
| Total height: | 560 mm / 22" |
| 3 | |
| Total length: | |
| Weight: | 8,3 Kg / 18,3 lbs |
| Plate: | 450 x 290 mm / 17,7" - 11,4" |
| Space between posts: | 320 mm / 12,6" |
| Space under blade: | 190 mm / 7,5" |

The Food cutter can cut and slice various products which are awkward and difficult to cut with a knife, such as bread, cheese, pies and pizza. The operating lever system allows an effortless and perfect cut. The blade as well as the base can be taken apart for cleaning.

ROADSIGN CONES



| 03 BS 50 W | Ref. BS00 |
|--|-----------|
| Wet floor cones - Height 500 mm / 19,7" | |
| 3 BS 75 W | Ref. BS00 |
| Wet floor cones - Height 750 mm / 29,5" | |
| 4 BS 50 S | Ref. BS00 |
| No parking cones - Height 500 mm / 19,7" | |
| 04) BS 75 S | Ref. BS00 |

Dynamic, at the professionals' service for 50 years.



Choosing the best material available ensures high quality Products.

Dynamic always takes great care in selecting the best material available for manufacturing. This ensures long and reliable years of product satisfaction.



Custom made coiled motors.

Dynamic designs, manufactures and coils the inductors and motors which are used in the construction of mixers perfectly matching power and weight ratio on all of its machines.



All product components manufactured within our facilities.

Dynamic offers a great aftersales service, close follow-up and renewal of our stocks. Close monitoring by our affiliates throughout the world assures reliability and availability of our entire range of products.

Marketing items

Display rack

A practical and great way to visually display Dynamic products (please contact us for more information).





Counter display for catalogues.





With this catalogue DVD, discover the complete DYNAMIC product line, including proper usage, care and cleaning procedures.

DVD












Poster

Coloured poster displays our complete product line.





WEEE (Directive on Waste Electrical and **Electronic Equipment):**

Please contact your distributor.



Dynamic is a member of SYNEG (Syndicat National de l'Equipement des Grandes Cuisines)

GENERAL SALES CONDITIONS - EXTRACTS

Our goods are always carried at the buyer's risks, Whatever freight terms chosen, even "postage paid". Any claims have to be made within a delay of 72 hours after receipt of the goods. Each order is bound to our general sales conditions, which are the only ones valid


Any impairment from the buyer's side, by whatever means, is not acceptable. Any tolerance from our company will not give any further rights. Our obligations will be suspended and our responsibility disengaged in case of major force or fortuitous cases. In case of nonperformance by the buyer of one of this obligations and 8 days after a formal notice by registered letter with acknowledgement of receipt, remaining ineffective, the sale is cancelled in full right, the goods have to be returned by the turner at his own expenses, without any prejudice of all other rights and resorts. In case of non-payment at the contractual due date, penalties for overdue payment equal to 3 times the legal interest rate will be due automatically and without formality, from the first day of delay. In addition, a lump sum allowance for costs of recovery representing an amount of 40 Euros will be due automatically and without formality. If the recovery costs are greater than this lump sum, complementary compensation will be due, upon presentation of supporting documents. Our drafts or acceptances are not subject of impairments as to the place of payment which is the head office of our company. In case of contestations, the commercial court, which our head office depends on, is the only competent one.

PROPERTY CLAUSES: The goods remain our property until the full settlement of the same. Settlement to be made in Mortagne-sur-Sèvre. In case of contestation the commercial court in La Roche-sur-Yon (France) is the only competent one.

ORDERS: Our prices are Ex-Works, packing included. Each order is subject to an acknowledgement of order with indication of prices, delivery time, and payment terms.

RETURNS: Goods will not be taken back or exchanged without our preliminary written agreement. In case of acceptation, 10 % of the returned goods value will be deduced for expenses. - Freight terms: Ex-Works.

WARRANTY Dynamic: Dynamic will guarantee all "new" DYNAMIC PRODUCTS to be free from defects in materials & workmanship. Electric products - Include a 1 year parts and labor carry in bench warranty with the exception of component replacements necessary through regular «wear & tear». Manual products - Include a 1 year limited parts warranty. Warranty is valid, providing the products have been used in accordance with Dynamic's operating recommendations & guidelines. DYNAMIC or any authorized service centres will repair or replace, at our discretion and after examination, any or all manufacturer's defective parts during the warranty period. Any damage caused by improper use, abuse, dropping, or similar accidental damage resulting in breakage will render the warranty null and void. During the warranty period, only DYNAMIC or one of its authorized service centres may perform evaluations or repairs to machines. Warranty will be void on any equipment which has been dismantled or tampered with during this warranty period if this has been done by unauthorized centres or personnel.



Please contact the nearest office for any additional information



Dynamic FRANCE & EXPORT

RCS 416 450 435 La Roche sur Yon - S.A.S au capital de 216.780 € 518 rue Baekeland - BP57 - 85290 Mortagne / Sèvre Tel. +33 (0)2 51 63 02 72 - Fax : +33 (0)2 51 63 02 73 e-mail : contact@dynamicmixers.com

www.dynamicmixers.com

